

Volume 208 1987

No. 1/2 1-364 issued in June 1987
No. 3 365-548 issued in July 1987

Contents

| | |
|---|-----|
| Aizawa, S., Loeb, L.A., Martin, G.M.: Aphidicolin-resistant mutator strains of mouse teratocarcinoma | 342 |
| Akamatsu, T., Sekiguchi, J.: Genetic mapping by means of protoplast fusion in <i>Bacillus subtilis</i> | 254 |
| Alonso, J.C., Viret, J.-F., Tailor, R.H.: Plasmid maintenance in <i>Bacillus subtilis</i> recombination-deficient mutants | 349 |
| Alonso, J.C., s. Viret, J.-F. | 353 |
| Angsuthanasombat, C., Chungjatupornchai, W., Kertbundit, S., Luxananil, P., Settassatian, C., Wilairat, P., Panyim, S.: Cloning and expression of 130-kd mosquito-larvicidal δ -endotoxin gene of <i>Bacillus thuringiensis</i> var. <i>Israelensis</i> in <i>Escherichia coli</i> | 384 |
| Anraku, Y., s. Nakao, T., et al. | 70 |
| Ashraf, M., Vasil, V., Vasil, I.K., Ferl, R.J.: Chromatin structure at the 5' promoter region of the maize <i>Adh2</i> gene and its role in gene regulation | 185 |
| Aymerich, S., Steinmetz, M.: Cloning and preliminary characterization of the <i>sacS</i> locus from <i>Bacillus subtilis</i> which controls the regulation of the exoenzyme levansucrase | 114 |
| Baker, S.M., Johnston, S.A., Hopper, J.E., Jaehning, J.A.: Transcription of multiple copies of the yeast <i>GAL7</i> gene is limited by specific factors in addition to <i>GAL4</i> | 127 |
| Bazin, C., s. Le Menn, A., et al. | 408 |
| Bennetzen, J.L.: Covalent DNA modification and the regulation of <i>Mutator</i> element transposition in maize | 45 |
| Bennetzen, J.L., Fracasso, R.P., Morris, D.W., Robertson, D.S., Skogen-Hagenson, M.J.: Concomitant regulation of <i>Mul</i> transposition and <i>Mutator</i> activity in maize | 57 |
| Bertani, L.E., s. Haggård-Ljungquist, E., et al. | 52 |
| Besnard, C., Jami, J.: Expression of the human β -globin gene in mouse teratocarcinoma cells | 357 |
| Bhairi, S., s. Riley, M.I., et al. | 145 |
| Bhandari, P., s. Singh, S., et al. | 226 |
| Blanco, C.: Transcriptional and translational signals of the <i>uidA</i> gene in <i>Escherichia coli</i> K12 | 490 |
| Blank, V., s. Scholle, A., et al. | 247 |
| Böck, A., s. Lechner, K. | 523 |
| Boos, W., s. Scholle, A., et al. | 247 |
| Bosch, D., Tommassen, J.: Effects of linker insertions on the biogenesis and functioning of the <i>Escherichia coli</i> outer membrane pore protein PhoE | 485 |
| Boulnois, G.J., Roberts, I.S., Hodge, R., Hardy, K.R., Jann, K.B., Timmis, K.N.: Analysis of the K1 capsule biosynthesis genes of <i>Escherichia coli</i> : Definition of three functional regions for capsule production | 242 |
| Brady, C.J., s. Sheehy, R.E., et al. | 30 |
| Braun, C., s. Distler, J., et al. | 204 |
| Bridges, B.A., s. Ruiz-Rubio, M. | 542 |
| Brombach, M., Pon, C.L.: The unusual translational initiation codon AUU limits the expression of the <i>infC</i> (initiation factor IF3) gene of <i>Escherichia coli</i> | 94 |
| Brookfield, J.F.Y., s. Lewis, A.P. | 506 |
| Brown, A.M.C., s. Coupland, G.M., et al. | 219 |
| Brunold, C., Krüger-Lebus, S., Saul, M.W., Wegmüller, S., Potrykus, I.: Combination of kanamycin resistance and nitrate reductase deficiency as selectable markers in one nuclear genome provides a universal somatic hybridizer in plants | 469 |
| Calie, P.J., Hughes, K.W.: The consensus land plant chloroplast gene order is present, with two alterations, in the moss <i>Physcomitrella patens</i> | 335 |
| Calogero, R.A., Pon, C.L., Gualerzi, C.O.: Chemical synthesis and in vivo hyperexpression of a modular gene coding for <i>Escherichia coli</i> translational initiation factor IF1 | 63 |

| | |
|---|-----|
| Cardarelli, M., Spanò, L., Mariotti, D., Mauro, M.L., Van Sluys, M.A., Costantino, P.: The role of auxin in hairy root induction | 457 |
| Cassuto, E., Lightfoot, L.-A., Howard-Flanders, P.: Partial purification of an activity from human cells that promotes homologous pairing and the formation of heteroduplex DNA in the presence of ATP | 10 |
| Chen, C.W., s. Tsai, J.F.-Y. | 211 |
| Chopra, M.J.S., s. Singh, S., et al. | 226 |
| Christiansen, C., s. Rasmussen, O.F., et al. | 23 |
| Christiansen, G., s. Klemm, P. | 439 |
| Chung, D.-H., s. Nishiwaki, K., et al. | 159 |
| Chungjatupornchai, W., s. Angsuthanasombat, C., et al. | 384 |
| Cohen, S., s. Shafferman, A., et al. | 294 |
| Costantino, P., s. Cardarelli, M., et al. | 457 |
| Coucheron, D.H., s. Valla, S., et al. | 76 |
| Coupland, G.M., Brown, A.M.C., Willetts, N.S.: The origin of transfer (<i>oriT</i>) of the conjugative plasmid R46: Characterization by deletion analysis and DNA sequencing | 219 |
| Danchin, A., s. Touati, E. | 499 |
| Davis, R.L., s. Pittler, S.J. | 325 |
| Davis, R.L., s. Pittler, S.J., et al. | 315 |
| Débarbouillé, M., s. Martin, I., et al. | 177 |
| DeMoss, J.A., s. Matchett, W.H., et al. | 398 |
| Denis, C.L.: The effects of <i>ADR1</i> and <i>CCR1</i> gene dosage on the regulation of the glucose-repressible alcohol dehydrogenase from <i>Saccharomyces cerevisiae</i> | 101 |
| Dessaux, Y., Tempé, J., Farrand, S.K.: Genetic analysis of mannitol opine catabolism in octopine-type <i>Agrobacterium tumefaciens</i> strain 15955 | 301 |
| Diaz, I., Pedersen, S., Kurland, C.G.: Effects of <i>miaA</i> on translation and growth rates | 373 |
| Dickinson, C.D., s. Scallan, B.J., et al. | 107 |
| Dickson, R.C., s. Riley, M.I., et al. | 145 |
| Distler, J., Braun, C., Ebert, A., Piepersberg, W.: Gene cluster for streptomycin biosynthesis in <i>Streptomyces griseus</i> : Analysis of a central region including the major resistance gene | 204 |
| Drocourt, D., s. Marcel, T., et al. | 121 |
| Ebert, A., s. Distler, J., et al. | 204 |
| Echt, C.S., Polacco, M.L., Neuffer, M.G.: A nuclear encoded chloroplast ATP synthase mutant of <i>Zea mays</i> L | 230 |
| Erb, K., Vogel, M., Wagner, W., Goebel, W.: Alkaline phosphatase which lacks its own signal sequence becomes enzymatically active when fused to N-terminal sequences of <i>Escherichia coli</i> haemolysin (HlyA) | 88 |
| Farrand, S.K., s. Dessaux, Y., et al. | 301 |
| Feldmann, K.A., Marks, M.D.: <i>Agrobacterium</i> -mediated transformation of germinating seeds of <i>Arabidopsis thaliana</i> : A non-tissue culture approach | 1 |
| Ferl, R.J., s. Ashraf, M., et al. | 185 |
| Ferrari, E., s. Martin, I., et al. | 177 |
| Flashner, Y., s. Shafferman, A., et al. | 263 |
| Flashner, Y., s. Shafferman, A., et al. | 294 |
| Foster, J.W., Holley-Guthrie, E.A., Warren, F.: Regulation of NAD metabolism in <i>Salmonella typhimurium</i> : Genetic analysis and cloning of the <i>nadR</i> repressor locus | 279 |
| Fracasso R.P., s. Bennetzen, J.L., et al. | 57 |
| Frydenberg, J., s. Rasmussen, O.F., et al. | 23 |
| Godiska, R.: Structure and sequence of the H surface protein gene of <i>Paramecium</i> and comparison with related genes | 529 |
| Goebel, W., s. Erb, K., et al. | 88 |
| Gualerzi, C.O., s. Calogero, R.A., et al. | 63 |
| Guha, D., s. Singh, S., et al. | 226 |

| | | | |
|---|-----|--|-----|
| Haggård-Ljungquist, E., Kockum, K., Bertani, L.E.: DNA sequences of bacteriophage P2 early genes <i>cox</i> and <i>B</i> and their regulatory sites | 52 | Lechner, K., Böck, A.: Cloning and nucleotide sequence of the gene for an archaeobacterial protein synthesis elongation factor Tu | 523 |
| Handley, J.P., s. Kreiswirth, B.N., et al. | 84 | Levine, A., Henckes, G., Vannier, F., Sörö, S.J.: Chromosomal initiation in <i>Bacillus subtilis</i> may involve two closely linked origins | 37 |
| Harashima, S., s. Nishiwaki, K., et al. | 159 | Lewis, A.P., Brookfield, J.F.Y.: Movement of <i>Drosophila melanogaster</i> transposable elements other than P elements in a P-M hybrid dysgenic cross | 506 |
| Hardy, K.R., s. Boulnois, G.J., et al. | 242 | Lightfoot, L.-A., s. Cassuto, E., et al. | 10 |
| Hauptmann, R.M., s. Ye, J., et al. | 474 | Lin, L.-S., Kim, Y.-J., Meyer, R.J.: The 20 bp, directly repeated DNA sequence of broad host range plasmid R1162 exerts incompatibility in vivo and inhibits R1162 DNA replication in vitro | 390 |
| Hayashi, N., s. Nishiwaki, K., et al. | 159 | Lion, M., s. Shafferman, A., et al. | 263 |
| Henckes, G., s. Levine, A., et al. | 37 | Loeb, L.A., s. Aizawa, S., et al. | 342 |
| Hertman, I., s. Shafferman, A., et al. | 263 | Luxanani, P., s. Angsuthanasombat, C., et al. | 384 |
| Hertman, I., s. Shafferman, A., et al. | 294 | Manson, M.D., s. Scholle, A., et al. | 247 |
| Heyde, M., Portalier, R.: Regulation of major outer membrane porin proteins of <i>Escherichia coli</i> K12 by pH | 511 | Marcel, T., Drocourt, D., Tiraby, G.: Cloning of the glucose isomerase (D-xylose isomerase) and xylulose kinase genes of <i>Streptomyces violaceoniger</i> | 121 |
| Hiatt, W.R., s. Sheehy, R.E., et al. | 30 | Mariotti, D., s. Cardarelli, M., et al. | 457 |
| Hiestand-Nauer, R., s. Iida, S. | 464 | Marks, M.D., s. Feldmann, K.A. | 1 |
| Hiraga, S., s. Kusakawa, N., et al. | 365 | Martin, G.M., s. Aizawa, S., et al. | 342 |
| Hodge, R., s. Boulnois, G.J., et al. | 242 | Martin, I., Débarbouillé, M., Ferrari, E., Klier, A., Rapoport, G.: Characterization of the levanase gene of <i>Bacillus subtilis</i> which shows homology to yeast invertase | 177 |
| Holley-Guthrie, E.A., s. Foster, J.W., et al. | 279 | Matchett, W.H., Lacy, A.M., DeMoss, J.A.: Orientation of enzymic domains in tryptophan synthase of <i>Neurospora crassa</i> : An immunoblot analysis of <i>TRP3</i> mutant products | 398 |
| Hopper, J.E., s. Baker, S.M., et al. | 127 | Matsubara, K., s. Kouhara, H., et al. | 428 |
| Howard-Flanders, P., s. Cassuto, E., et al. | 10 | Mauro, M.L., s. Cardarelli, M., et al. | 457 |
| Hughes, K.W., s. Calie, P.J. | 335 | Mayfield, S.P., Taylor, W.C.: Chloroplast photooxidation inhibits the expression of a set of nuclear genes | 309 |
| Hutchinson, F., s. Reed, J. | 446 | Mevarech, M., s. Rosenshine, I., et al. | 518 |
| Hütter, R., s. Vöggtli, M. | 195 | Meyer, R.J., s. Lin, L.-S., et al. | 390 |
| Iida, S., Hiestand-Nauer, R.: Role of the central dinucleotide at the crossover sites for the selection of quasi sites in DNA inversion mediated by the site-specific <i>Cin</i> recombinase of phage P1 | 464 | Modi, D.R., s. Singh, D.T., et al. | 436 |
| Irie, S., s. Nishiwaki, K., et al. | 159 | Mori, H., s. Kusakawa, N., et al. | 365 |
| Irish, E.E., Schwartz, D.: Activation of low and null activity isozymes of maize alcohol dehydrogenase by antibodies | 271 | Morris, D.W., s. Bennetzen, J.L., et al. | 57 |
| Jaehning, J.A., s. Baker, S.M., et al. | 127 | Mostachfi, P., Sicard, A.M.: Polarity of localised conversion in <i>Streptococcus pneumoniae</i> transformation | 361 |
| Jami, J., s. Besnard, C. | 357 | Müller-Gensert, E., Schieder, O.: Interspecific T-DNA transfer through plant protoplast fusion | 235 |
| Jann, K.B., s. Boulnois, G.J., et al. | 242 | Nakao, T., Yamato, I., Anraku, Y.: Nucleotide sequence of <i>putP</i> , the proline carrier gene of <i>Escherichia coli</i> K12 | 70 |
| Jarrell, K.F., Julseth, C., Pearson, B., Kuzio, J.: Paucity of the <i>Sau3A</i> I recognition sequence (GATC) in the genome of <i>Methanococcus voltae</i> | 191 | Neuffer, M.G., s. Echt, C.S., et al. | 230 |
| Jensen, K.F., s. Poulsen, P. | 152 | Nielsen, N.C., s. Scallan, B.J., et al. | 107 |
| Jobling, M.G., Ritchie, D.A.: Genetic and physical analysis of plasmid genes expressing inducible resistance of tellurite in <i>Escherichia coli</i> | 288 | Nirmala, K., s. Singh, D.T., et al. | 436 |
| Johnston, S.A., s. Baker, S.M., et al. | 127 | Nishiwaki, K., Hayashi, N., Irie, S., Chung, D.-H., Harashima, S., Oshima, Y.: Structure of the yeast <i>HIS5</i> gene responsive to general control of amino acid biosynthesis | 159 |
| Julseth, C., s. Jarrell, K.F., et al. | 191 | Nold, A., s. Scholle, A., et al. | 247 |
| Kageyama, M., s. Sano, Y. | 412 | Novick, R.P., s. Kreiswirth, B.N., et al. | 84 |
| Katiyar, S., s. Singh, D.T., et al. | 436 | Oakley, B.R., Oakley, C.E., Rinehart, J.E.: Conditionally lethal <i>tubA</i> α -tubulin mutations in <i>Aspergillus nidulans</i> | 135 |
| Kertbundit, S., s. Angsuthanasombat, C., et al. | 384 | Oakley, C.E., s. Oakley, B.R., et al. | 135 |
| Kikuchi, S., s. Takaiwa, F., et al. | 15 | Olami, Y., s. Shafferman, A., et al. | 294 |
| Kim, Y.-J., s. Lin, L.-S., et al. | 390 | Oono, K., s. Takaiwa, F., et al. | 15 |
| Kjosbakken, J., s. Valla, S., et al. | 76 | Oshima, Y., s. Nishiwaki, K., et al. | 159 |
| Klemm, P., Christiansen, G.: Three <i>fim</i> genes required for the regulation of length and mediation of adhesion of <i>Escherichia coli</i> type 1 fimbriae | 439 | Panyim, S., s. Angsuthanasombat, C., et al. | 384 |
| Klier, A., s. Martin, I., et al. | 177 | Pearson, B., s. Jarrell, K.F., et al. | 191 |
| Kockum, K., s. Haggård-Ljungquist, E., et al. | 52 | Pearson, J., s. Sheehy, R.E., et al. | 30 |
| Kogoma, T., s. Torrey, T.A. | 420 | Pedersen, S., s. Diaz, I., et al. | 373 |
| Kondo, A., s. Kusakawa, N., et al. | 365 | Piepersberg, W., s. Distler, J., et al. | 204 |
| Kouhara, H., Tsurimoto, T., Matsubara, K.: Direction of transcription affects the replication mode of λ in an in vitro system | 428 | Pittler, S.J., Davis, R.L.: A new family of the poly-deoxyadenylated class of <i>Drosophila</i> transposable elements identified by a representative member at the <i>dunce</i> locus | 325 |
| Kreiswirth, B.N., Handley, J.P., Schlievert, P.M., Novick, R.P.: Cloning and expression of streptococcal pyrogenic exotoxin A and staphylococcal toxic shock syndrome toxin-1 in <i>Bacillus subtilis</i> | 84 | Pittler, S.J., Salz, H.K., Davis, R.L.: An interchromosomal gene conversion of the <i>Drosophila dunce</i> locus identified with restriction site polymorphisms: A potential involvement of transposable elements in gene conversion | 315 |
| Krüger-Lebus, S., s. Brunold, C., et al. | 469 | | |
| Kurland, C.G., s. Diaz, I., et al. | 373 | | |
| Kusakawa, N., Mori, H., Kondo, A., Hiraga, S.: Partitioning of the F plasmid: Overproduction of an essential protein for partition inhibits plasmid maintenance | 365 | | |
| Kuzio, J., s. Jarrell, K.F., et al. | 191 | | |
| Lacy, A.M., s. Matchett, W.H., et al. | 398 | | |
| Le Menn, A., Bazin, C., Silber, J.: Nucleotide metabolism variability in <i>Drosophila melanogaster</i> | 408 | | |

| | | | |
|---|-----|--|-----|
| Polacco, M.L., s. Echt, C.S., et al. | 230 | Singh, S., Bhandari, P., Chopra, M.J.S., Guha, D.: Isolation of autosomal mutations in <i>Drosophila melanogaster</i> without setting up lines | 226 |
| Pon, C.L., s. Brombach, M. | 94 | Skogen-Hagenson, M.J., s. Bennetzen, J.L., et al. | 57 |
| Pon, C.L., s. Calogero, R.A., et al. | 63 | Slobodyanyuk, S.Y., Serov, O.L.: Stage and organ specificity of the degree of variegation of the 6-phosphogluconate dehydrogenase gene in <i>Drosophila melanogaster</i> | 329 |
| Portaler, R., s. Heyde, M. | 511 | Smith, A.G., s. Ye, J., et al. | 474 |
| Potrykus, I., s. Brunold, C., et al. | 469 | Soutschek-Bauer, E., Staudenbauer, W.L.: Synthesis and secretion of a heat-stable carboxymethylcellulase from <i>Clostridium thermocellum</i> in <i>Bacillus subtilis</i> and <i>Bacillus stearothermophilus</i> | 537 |
| Poulsen, P., Jensen, K.F.: Effect of UTP and GTP pools on attenuation at the <i>pyrE</i> gene of <i>Escherichia coli</i> | 152 | Spanò, L., s. Cardarelli, M., et al. | 457 |
| Ramos, J., Robson, R.L.: Cloning of the gene for phosphoenolpyruvate carboxylase from <i>Azotobacter chroococcum</i> , an enzyme important in aerobic nitrogen fixation | 481 | Sreekrishna, K., s. Riley, M.I., et al. | 145 |
| Rapoport, G., s. Martin, I., et al. | 177 | Staudenbauer, W.L., s. Soutschek-Bauer, E. | 537 |
| Rasmussen, O.F., Frydenberg, J., Christiansen, C.: Analysis of the leader and spacer regions of the two rRNA operons of <i>Mycoplasma</i> PG50: Two tRNA genes are located upstream of <i>rRNA</i> | 23 | Steinmetz, M., s. Aymerich, S. | 114 |
| Reed, J., Hutchinson, F.: Effect of the direction of DNA replication on mutagenesis by N-methyl-N'-nitro-N-nitrosoguanidine in adapted cells of <i>Escherichia coli</i> | 446 | Tailor, R.H., s. Alonso, J.C., et al. | 349 |
| Riley, M.I., Sreekrishna, K., Bhairi, S., Dickson, R.C.: Isolation and characterization of mutants of <i>Kluyveromyces lactis</i> defective in lactose transport | 145 | Takaiwa, F., Kikuchi, S., Oono, K.: A rice glutelin gene family - A major type of glutelin mRNAs can be divided into two classes | 15 |
| Rinehart, J.E., s. Oakley, B.R., et al. | 135 | Taylor, W.C., s. Mayfield, S.P. | 309 |
| Ritchie, D.A., s. Jobling, M.G. | 288 | Tempé, J., s. Dessaux, Y., et al. | 301 |
| Roberts, I.S., s. Boulnois, G.J., et al. | 242 | Terracol, R.: Differential magnification of rDNA gene types in bobbed mutants of <i>Drosophila melanogaster</i> | 168 |
| Robertson, D.S., s. Bennetzen, J.L., et al. | 57 | Timmis, K.N., s. Boulnois, G.J., et al. | 242 |
| Robson, R.L., s. Ramos, J. | 481 | Tiraby, G., s. Marcel, T., et al. | 121 |
| Rosenshine, I., Zusman, T., Werczberger, R., Mevarech, M.: Amplification of specific DNA sequences correlates with resistance of the archaeobacterium <i>Halobacterium volcanii</i> to the dihydrofolate reductase inhibitors trimethoprim and methotrexate | 518 | Tommassen, J., s. Bosch, D. | 485 |
| Ruiz-Rubio, M., Bridges, B.A.: Mutagenic DNA repair in <i>Escherichia coli</i> . XIV. Influence of two DNA polymerase III mutator alleles on spontaneous and UV mutagenesis | 542 | Torrey, T.A., Kogoma, T.: Genetic analysis of constitutive stable DNA replication in <i>rnh</i> mutants of <i>Escherichia coli</i> K12 | 420 |
| Salz, H.K., s. Pittler, S.J., et al. | 315 | Touati, E., Danchin, A.: Cloning and characterization of the pH 2.5 acid phosphatase gene, <i>appA</i> : Cyclic AMP mediated negative regulation | 499 |
| Sano, Y., Kageyama, M.: The sequence and function of the <i>recA</i> gene and its protein in <i>Pseudomonas aeruginosa</i> PAO | 412 | Tsai, J.F.-Y., Chen, C.W.: Isolation and characterization of <i>Streptomyces lividans</i> mutants deficient in intraplasmid recombination | 211 |
| Saul, M.W., s. Brunold, C., et al. | 469 | Tsurimoto, T., s. Kouhara, H., et al. | 428 |
| Scallan, B.J., Dickinson, C.D., Nielsen, N.C.: Characterization of a null-allele for the <i>G_y</i> glycinin gene from soybean | 107 | Valla, S., Coucheron, D.H., Kjosbakken, J.: The plasmids of <i>Acetobacter xylinum</i> and their interaction with the host chromosome | 76 |
| Schieder, O., s. Müller-Gensert, E. | 235 | Van Sluys, M.A., s. Cardarelli, M., et al. | 457 |
| Schlievert, P.M., s. Kreiswirth, B.N., et al. | 84 | Vannier, F., s. Levine, A., et al. | 37 |
| Schmidt, H.J.: Characterization and comparison of genomic DNA clones containing complementary sequences to mRNA from serotype 51D of <i>Paramoecium tetraurelia</i> | 450 | Vasil, I.K., s. Ashraf, M., et al. | 185 |
| Scholle, A., Vreemann, J., Blank, V., Nold, A., Boos, W., Manson, M.D.: Sequence of the <i>mglB</i> gene from <i>Escherichia coli</i> K12: Comparison of wild-type and mutant galactose chemoreceptors | 247 | Vasil, V., s. Ashraf, M., et al. | 185 |
| Schwartz, D., s. Irish, E.E. | 271 | Viret, J.-F., Alonso, J.C.: A new mutator strain of <i>Bacillus subtilis</i> | 353 |
| Sekiguchi, J., s. Akamatsu, T. | 254 | Viret, J.-F., s. Alonso, J.C., et al. | 349 |
| Sérour, S.J., s. Levine, A., et al. | 37 | Vogel, M., s. Erb, K., et al. | 88 |
| Serov, O.L., s. Slobodyanyuk, S.Y. | 329 | Vögtli, M., Hütter, R.: Characterisation of the hydroxystreptomycin phosphotransferase gene (<i>sph</i>) of <i>Streptomyces glaucescens</i> : Nucleotide sequence and promoter analysis | 195 |
| Settasatian, C., s. Angsuthanasombat, C., et al. | 384 | Vreemann, J., s. Scholle, A., et al. | 247 |
| Shaffer, A., Flashner, Y., Hertman, I., Lion, M.: Identification and characterization of the functional α origin of DNA replication of the R6K plasmid and its relatedness to the R6K β and γ origins | 263 | Wagner, W., s. Erb, K., et al. | 88 |
| Shaffer, A., Flashner, Y., Hertman, I., Olami, Y., Cohen, S.: Molecular aspects of genetic instability of an artificial 68 bp perfect palindrome in <i>Escherichia coli</i> | 294 | Warren, F., s. Foster, J.W., et al. | 279 |
| Sheehy, R.E., Pearson, J., Brady, C.J., Hiatt, W.R.: Molecular characterization of tomato fruit polygalacturonase | 30 | Wegmüller, S., s. Brunold, C., et al. | 469 |
| Shimaji, M., s. Yamada, T. | 377 | Werczberger, R., s. Rosenshine, I., et al. | 518 |
| Sicard, A.M., s. Mostachfi, P. | 361 | Widholm, J.M., s. Ye, J., et al. | 474 |
| Silber, J., s. Le Menn, A., et al. | 408 | Wilairat, P., s. Angsuthanasombat, C., et al. | 384 |
| Singh, D.T., Nirmala, K., Modi, D.R., Katiyar, S., Singh, H.N.: Genetic transfer of herbicide resistance gene(s) from <i>Gloeocapsa</i> spp. to <i>Nostoc muscorum</i> | 436 | Willetts, N.S., s. Coupland, G.M., et al. | 219 |
| Singh, H.N., s. Singh, D.T., et al. | 436 | Yamada, T., Shimaji, M.: Splitting of the ribosomal RNA operon on chloroplast DNA from <i>Chlorella ellipsoidea</i> | 377 |
| | | Yamato, I., s. Nakao, T., et al. | 70 |
| | | Ye, J., Hauptmann, R.M., Smith, A.G., Widholm, J.M.: Selection of a <i>Nicotiana plumbaginifolia</i> universal hybridizer and its use in intergeneric somatic hybrid formation | 474 |
| | | Zusman, T., s. Rosenshine, I., et al. | 518 |



